

6.2 T825 Receiver PCB

This section contains the following information.

IPN	Section	Page
220-01446-03	Parts List	6.2.3
	Mechanical & Miscellaneous Parts	6.2.9
	Grid Reference Index	6.2.11
	PCB Layout - Top Side	6.2.15
	PCB Layout - Bottom Side	6.2.16
	Receiver Overview Diagram	6.2.17
	Audio Processor Circuit Diagram	6.2.18
	IF Section Circuit Diagram	6.2.19
	Front End Circuit Diagram	6.2.20
	VCO Section Circuit Diagram	6.2.21
	Regulators Circuit Diagram	6.2.22
	Synthesiser Circuit Diagram	6.2.23
	Microcontroller Circuit Diagram	6.2.24
	Harmonic Filter Circuit Diagram	6.2.25

T825 Parts List (IPN 220-01446-03)

How To Use This Parts List

The components listed in this parts list are divided into two main types: those with a circuit reference (e.g. C2, D1, R121, etc.) and those without (miscellaneous and mechanical).

Those with a circuit reference are grouped in alphabetical order and then in numerical order within each group. Each component entry comprises three or four columns: the circuit reference, variant (if applicable), IPN and description. A number in the variant column indicates that this is a variant component which is fitted only to the product type listed. Static sensitive devices are indicated by an (S) at the start of the description column.

The miscellaneous and mechanical section lists the variant and common parts in IPN order. Where possible, a number in the legend column indicates their position in the mechanical assembly drawing.

The Parts List Amendments box below lists component changes that took place after the parts list and diagrams in this section were compiled. These changes (e.g. value changes, added/deleted components, etc.) are listed by circuit reference in alphanumeric order and supersede the information given in the parts list or diagrams. Components without circuit references are listed in IPN order.

Parts List Amendments

There were no amendments to the parts list at the time of publication.

Parts List Amendments - Continued

This page is provided for entering future amendments to the parts list.

Ref	Var	IPN	Description	Ref	Var	IPN	Description
C201		014-08100-00	CAP TANT CHIP 10M 16VW +20%	C348		015-25100-08	CAP CER 0805 10N 10% X7R 50V
C203		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C349		015-23120-01	CAP CER 0805 120P 5% NPO 50V
C205		015-24470-08	CAP CER 0805 4N7 10% X7R 50V	C350		015-22560-01	CAP CER 0805 56P 5% NPO 50V
C207		014-07100-02	CAP TANT CHIP 1U0 3.2 X 1.6MM	C351		015-22560-01	CAP CER 0805 56P 5% NPO 50V
C209		016-08470-03	CAP SMD ELEC 47mF 20% 25v 8.3m	C352		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C210		015-24100-08	CAP CER 0805 1N 10% X7R 50V	C353		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C211		015-24470-08	CAP CER 0805 4N7 10% X7R 50V	C354		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C212		015-26100-08	CAP CER 0805 100N 10% X7R 50V	C355		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C213		015-25470-08	CAP CER 0805 47N 10% X7R 50V	C357		015-25100-08	CAP CER 0805 10N 10% X7R 50V
C215		015-21220-01	CAP CER 0805 2P2+-1/4P NPO 50V	C358		015-25100-08	CAP CER 0805 10N 10% X7R 50V
C217		015-22470-01	CAP CER 0805 47P 5% NPO 50V	C359		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C219		015-24470-08	CAP CER 0805 4N7 10% X7R 50V	C360		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C221		015-24100-08	CAP CER 0805 1N 10% X7R 50V	C361		015-25470-08	CAP CER 0805 47N 10% X7R 50V
C222		014-08100-00	CAP TANT CHIP 10M 16VW +20%	C362		014-08100-00	CAP TANT CHIP 10M 16VW +20%
C223		015-26100-08	CAP CER 0805 100N 10% X7R 50V	C363		015-25470-08	CAP CER 0805 47N 10% X7R 50V
C225		015-26100-08	CAP CER 0805 100N 10% X7R 50V	C364		015-25100-08	CAP CER 0805 10N 10% X7R 50V
C227		015-23100-01	CAP CER 0805 100P 5% NPO 50V	C365		015-25100-08	CAP CER 0805 10N 10% X7R 50V
C229		014-08100-00	CAP TANT CHIP 10M 16VW +20%	C366		014-08100-00	CAP TANT CHIP 10M 16VW +20%
C231		014-08100-00	CAP TANT CHIP 10M 16VW +20%	C367		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C233		014-08100-00	CAP TANT CHIP 10M 16VW +20%	C400		015-23220-01	CAP CER 0805 220P 5% NPO 50V
C235		015-24100-08	CAP CER 0805 1N 10% X7R 50V	C401		015-23220-01	CAP CER 0805 220P 5% NPO 50V
C237		015-24100-08	CAP CER 0805 1N 10% X7R 50V	C402		015-23100-01	CAP CER 0805 100P 5% NPO 50V
C238		015-26100-08	CAP CER 0805 100N 10% X7R 50V	C403		015-22270-01	CAP CER 0805 27P 5% NPO 50V
C239		016-09100-05	CAP SMD ELECT 100U 25V 20%	C404		015-22270-01	CAP CER 0805 27P 5% NPO 50V
C240A		015-24100-08	CAP CER 0805 1N 10% X7R 50V	C405		015-23470-08	CAP CER 0805 470P 10% X7R 50V
C240B		015-26100-08	CAP CER 0805 100N 10% X7R 50V	C408		015-22390-01	CAP CER 0805 39P 5% NPO 50V
C240C		016-09220-01	CAP SMD ELECT 220U 35V 20%	C409		015-23100-01	CAP CER 0805 100P 5% NPO 50V
C249		016-09470-01	LJCAP ELECT 470U 20% SMD	C410		015-22560-01	CAP CER 0805 56P 5% NPO 50V
C251		015-26100-08	CAP CER 0805 100N 10% X7R 50V	C411		015-22270-01	CAP CER 0805 27P 5% NPO 50V
C253		016-09100-05	CAP SMD ELECT 100U 25V 20%	C412		015-23100-01	CAP CER 0805 100P 5% NPO 50V
C255		015-24100-08	CAP CER 0805 1N 10% X7R 50V	C416		015-22270-01	CAP CER 0805 27P 5% NPO 50V
C257		015-24100-08	CAP CER 0805 1N 10% X7R 50V	C417		015-22270-01	CAP CER 0805 27P 5% NPO 50V
C259		015-26100-08	CAP CER 0805 100N 10% X7R 50V	C418		015-22390-01	CAP CER 0805 39P 5% NPO 50V
C260A		015-24100-08	CAP CER 0805 1N 10% X7R 50V	C419		015-23100-01	CAP CER 0805 100P 5% NPO 50V
C260B		015-26100-08	CAP CER 0805 100N 10% X7R 50V	C420		015-24470-08	CAP CER 0805 4N7 10% X7R 50V
C260C		016-09220-01	CAP SMD ELECT 220U 35V 20%	C424		015-24470-08	CAP CER 0805 4N7 10% X7R 50V
C261		016-09100-05	CAP SMD ELECT 100U 25V 20%	C425		015-24470-08	CAP CER 0805 4N7 10% X7R 50V
C262		016-09100-05	CAP SMD ELECT 100U 25V 20%	C426		015-25100-08	CAP CER 0805 10N 10% X7R 50V
C264		015-26100-08	CAP CER 0805 100N 10% X7R 50V	C427		015-05470-08	CAP CER 1206 47N 10% X7R 50V
C266		016-07470-06	CAP SMD ELECT BI-P 4U7 50V 20%	C428		015-24100-08	CAP CER 0805 1N 10% X7R 50V
C268		016-07470-06	CAP SMD ELECT BI-P 4U7 50V 20%	C432		015-22820-01	CAP CER 0805 82P 5% NPO 50V
C270		015-26100-08	CAP CER 0805 100N 10% X7R 50V	C433		015-23100-01	CAP CER 0805 100P 5% NPO 50V
C272		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C434		015-22270-01	CAP CER 0805 27P 5% NPO 50V
C273		014-08100-00	CAP TANT CHIP 10M 16VW +20%	C435		015-22270-01	CAP CER 0805 27P 5% NPO 50V
C274		015-26100-08	CAP CER 0805 100N 10% X7R 50V	C436		015-22390-01	CAP CER 0805 39P 5% NPO 50V
C276		015-25470-08	CAP CER 0805 47N 10% X7R 50V	C440		015-23100-01	CAP CER 0805 100P 5% NPO 50V
C278		015-26100-08	CAP CER 0805 100N 10% X7R 50V	C441		015-22560-01	CAP CER 0805 56P 5% NPO 50V
C280		015-25470-08	CAP CER 0805 47N 10% X7R 50V	C442		015-22270-01	CAP CER 0805 27P 5% NPO 50V
C286		015-24470-08	CAP CER 0805 4N7 10% X7R 50V	C443		015-23100-01	CAP CER 0805 100P 5% NPO 50V
C300		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C444		015-22270-01	CAP CER 0805 27P 5% NPO 50V
CV300		028-01500-01	CAP TRM 1.5/5P NPO TOP ADJ	C448		015-22270-01	CAP CER 0805 27P 5% NPO 50V
C301		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C449		015-22390-01	CAP CER 0805 39P 5% NPO 50V
C302		015-22560-01	CAP CER 0805 56P 5% NPO 50V	C450		015-23100-01	CAP CER 0805 100P 5% NPO 50V
C303		014-08100-00	CAP TANT CHIP 10M 16VW +20%	C505		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C304		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C515		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C305		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C530		014-08220-01	(LJ)CAP TANT 22UF10V276MSER
C306		015-22390-01	CAP CER 0805 39P 5% NPO 50V	C535		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C307		015-23120-01	CAP CER 0805 120P 5% NPO 50V	C610A		015-25100-08	CAP CER 0805 10N 10% X7R 50V
C308		015-23100-01	CAP CER 0805 100P 5% NPO 50V	C610B		014-09100-00	CAP TANT SMD 100U 16V 20%
&C309	10	015-22180-01	CAP CER 0805 18P 5% NPO 50V	C611A		014-09100-00	CAP TANT SMD 100U 16V 20%
&C309	15	015-22220-01	CAP CER 0805 22P 5% NPO 50V	C611B		015-25100-08	CAP CER 0805 10N 10% X7R 50V
&C310	10	015-21180-01	CAP CER 0805 1P8+-1/4P NPO 50V	C623		015-24100-08	CAP CER 0805 1N 10% X7R 50V
&C310	15	015-22180-01	CAP CER 0805 18P 5% NPO 50V	C625		020-09470-07	CAPEL470M16V20%V 8*20 3.5L.ESR
&C311	10	015-22180-01	CAP CER 0805 18P 5% NPO 50V	C626		015-24470-08	CAP CER 0805 4N7 10% X7R 50V
&C311	15	015-22220-01	CAP CER 0805 22P 5% NPO 50V	C628		015-24100-08	CAP CER 0805 1N 10% X7R 50V
C312		015-23100-01	CAP CER 0805 100P 5% NPO 50V	C630		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C313		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C631A		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C314		014-08100-00	CAP TANT CHIP 10M 16VW +20%	C631B		014-08100-03	CAP TANT SMD 10U 35V 20%
C315		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C637		015-24100-08	CAP CER 0805 1N 10% X7R 50V
C316		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C640		015-24100-08	CAP CER 0805 1N 10% X7R 50V
C317		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C650		015-26100-08	CAP CER 0805 100N 10% X7R 50V
&C318	10	015-23120-01	CAP CER 0805 120P 5% NPO 50V	C651		015-26100-08	CAP CER 0805 100N 10% X7R 50V
&C318	15	015-23100-01	CAP CER 0805 100P 5% NPO 50V	C658		015-26100-08	CAP CER 0805 100N 10% X7R 50V
&C319	10	015-22180-01	CAP CER 0805 18P 5% NPO 50V	C660		015-26100-08	CAP CER 0805 100N 10% X7R 50V
&C319	15	015-22180-01	CAP CER 0805 18P 5% NPO 50V	C665		014-08100-03	CAP TANT SMD 10U 35V 20%
C320		015-22270-01	CAP CER 0805 27P 5% NPO 50V	C670		014-07330-10	CAP TANT SMD 3U3 35V 10%
C321		015-23330-08	CAP CER 0805 330P 10% X7R 50V	C673		015-24470-08	CAP CER 0805 4N7 10% X7R 50V
&C325	10	015-22180-01	CAP CER 0805 18P 5% NPO 50V	C677		014-07100-02	CAP TANT CHIP 1U0 3.2 X 1.6MM
&C325	15	015-22270-01	CAP CER 0805 27P 5% NPO 50V	C681		015-26100-08	CAP CER 0805 100N 10% X7R 50V
&C326	10	015-22220-01	CAP CER 0805 22P 5% NPO 50V	C684		014-08100-03	CAP TANT SMD 10U 35V 20%
C327		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C687		015-24100-08	CAP CER 0805 1N 10% X7R 50V
C329		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C690		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C330		015-22470-01	CAP CER 0805 47P 5% NPO 50V	C693		014-08100-03	CAP TANT SMD 10U 35V 20%
C331		015-22560-01	CAP CER 0805 56P 5% NPO 50V	C700		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C332		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C702		015-24100-08	CAP CER 0805 1N 10% X7R 50V
C333		014-07470-03	L) CAP TANT SMD 4U7 35V 20%	C703		015-24100-08	CAP CER 0805 1N 10% X7R 50V
C334		015-25470-08	CAP CER 0805 47N 10% X7R 50V	C705		015-21820-02	LJ)CAP 0805 8P2 15 NPO 50V
C335		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C707		015-22470-01	CAP CER 0805 47P 5% NPO 50V
C336		015-25470-08	CAP CER 0805 47N 10% X7R 50V	C708		015-22470-01	CAP CER 0805 47P 5% NPO 50V
C337		015-25470-08	CAP CER 0805 47N 10% X7R 50V	C709		015-22100-01	CAP CER 0805 10P+-1/2P NPO 50V
C338		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C710A		014-07470-00	CAP TANT CHIP 4U7 3.5 X 2.8MM
C339		015-22100-01	CAP CER 0805 10P+-1/2P NPO 50V	C710B		015-26100-08	CAP CER 0805 100N 10% X7R 50V
C340		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C710C		015-25100-08	CAP CER 0805 10N 10% X7R 50V
C341		015-24100-08	CAP CER 0805 1N 10% X7R 50V	C711		015-23100-01	CAP CER 0805 100P 5% NPO 50V
C342		015-25100-08	CAP CER 0805 10N 10% X7R 50V	C712		015-23100-01	CAP CER 0805 100P 5% NPO 50V
C343		015-22560-01	CAP CER 0805 56P 5% NPO 50V	C713		015-25100-08	CAP CER 0805 10N 10% X7R 50V
C344		015-22560-01	CAP CER 0805 56P 5% NPO 50V	C735		015-22470-01	CAP CER 0805 47P 5% NPO 50V
C345		015-24470-08	CAP CER 0805 4N7 10% X7R 50V	C736		015-22470-01	CAP CER 0805 47P 5% NPO 50V

Ref	Var	IPN	Description	Ref	Var	IPN	Description
C740A		015-24100-08	CAP CER 0805 1N 10% X7R 50V	IC630		002-12523-17	(S)IC LM317L REG TO-252 0.5A
C740B		015-25100-08	CAP CER 0805 10N 10% X7R 50V	IC640		002-10003-58	S) IC SMD LM358 DUAL O-AMP
C741A		014-07470-00	CAP TANT CHIP 4U7 3.5 X 2.8MM	IC650		002-10012-32	SMD DS1232LPS-2 LP RESET&W-DOG
C741B		015-25100-08	CAP CER 0805 10N 10% X7R 50V	=IC700	10	539-00010-41	TCXO 12.8MHZ +-2.5PPM -30 +70C
C742A		015-26100-08	CAP CER 0805 100N 10% X7R 50V	=IC700	15	539-00010-41	TCXO 12.8MHZ +-2.5PPM -30 +70C
C742B		015-25100-08	CAP CER 0805 10N 10% X7R 50V	IC710		002-74900-04	S) IC SMD 74HC04D 6X INV BUFFD
C743		015-22470-01	CAP CER 0805 47P 5% NPO 50V	IC740		002-14519-10	S) IC MC145191F SMD SYNTH
C745		015-24470-08	CAP CER 0805 4N7 10% X7R 50V	IC750		002-10330-78	S) IC MC33078D 2X AMP LO NOISE
C750		014-08100-03	CAP TANT SMD 10U 35V 20%	IC820		002-12416-00	S)IC SMD AT24C16N-10SC EEPROM
C757		015-25100-08	CAP CER 0805 10N 10% X7R 50V	IC830		002-10003-24	S) IC SMD 324 4X O-AMP SO14
C759		015-25100-08	CAP CER 0805 10N 10% X7R 50V	IC840		002-10040-53	S)JMC14053B SMD BREAK B4 MAKE
C761		015-25100-08	CAP CER 0805 10N 10% X7R 50V	IC850		002-10003-24	S) IC SMD 324 4X O-AMP SO14
C762		014-08220-01	(L)CAP TANT 22UF10V276MSER	L230		057-10100-60	IND SHLD 100UH SMD 600MA
C764		015-25100-08	CAP CER 0805 10N 10% X7R 50V	L300		056-10102-12	IND SMD 1u2 1812CS 5%
C765		014-07470-00	CAP TANT CHIP 4U7 3.5 X 2.8MM	L301		056-10802-12	IND SMD 8u2 1812CS 5%
C767		015-24100-08	CAP CER 0805 1N 10% X7R 50V	L302		056-10105-12	IND SMD 1u5 1812CS 5%
C769		015-24100-08	CAP CER 0805 1N 10% X7R 50V	&L303	10	056-10102-12	IND SMD 1u2 1812CS 5%
C770		014-08220-01	(L)CAP TANT 22UF10V276MSER	&L303	15	056-10105-12	IND SMD 1u5 1812CS 5%
C772		014-08220-01	(L)CAP TANT 22UF10V276MSER	&L304	10	056-10010-12	IND SMD 10uH 1812CS 5%
C774		022-07100-05	CAP METAL PPS 1U 20% 63V 5MM	&L304	15	056-10802-12	IND SMD 8u2 1812CS 5%
C776		015-25330-08	CAP CER 0805 CHIP 33NF	&L305	10	056-10010-12	IND SMD 10uH 1812CS 5%
C782		015-24470-08	CAP CER 0805 4N7 10% X7R 50V	&L305	15	056-10802-12	IND SMD 8u2 1812CS 5%
C784		015-24470-08	CAP CER 0805 4N7 10% X7R 50V	&L306	10	056-10102-12	IND SMD 1u2 1812CS 5%
C786		015-26100-08	CAP CER 0805 100N 10% X7R 50V	&L306	15	056-10105-12	IND SMD 1u5 1812CS 5%
C788		015-24470-08	CAP CER 0805 4N7 10% X7R 50V	&L307	10	056-10102-12	IND SMD 1u2 1812CS 5%
C790		015-23100-01	CAP CER 0805 100P 5% NPO 50V	&L307	15	056-10105-12	IND SMD 1u5 1812CS 5%
C792		015-24470-08	CAP CER 0805 4N7 10% X7R 50V	&L308	10	056-10010-12	IND SMD 10uH 1812CS 5%
C793		015-24100-08	CAP CER 0805 1N 10% X7R 50V	&L308	15	056-10802-12	IND SMD 8u2 1812CS 5%
C810		015-25100-08	CAP CER 0805 10N 10% X7R 50V	&L309	10	056-10010-12	IND SMD 10uH 1812CS 5%
C812		015-23100-01	CAP CER 0805 100P 5% NPO 50V	&L310	10	056-10802-12	IND SMD 8u2 1812CS 5%
C813		015-24100-08	CAP CER 0805 1N 10% X7R 50V	&L325	15	056-10010-12	IND SMD 10uH 1812CS 5%
C814		015-24100-08	CAP CER 0805 1N 10% X7R 50V	L330		050-15119-75	COIL SMD 455KHz IF 5119-T075
C815		015-05100-07	CAP 1206 CHIP NPO 10nF 25V	L400		056-10001-10	IND SMD 1uH 1206CS 5%
C816		015-25100-08	CAP CER 0805 10N 10% X7R 50V	L401		056-10001-10	IND SMD 1uH 1206CS 5%
C818		015-25100-08	CAP CER 0805 10N 10% X7R 50V	L402		050-00016-54	COIL 654 10 CAN T720
C819		015-22330-01	CAP CER 0805 33P 5% NPO 50V	L403		050-00016-54	COIL 654 10 CAN T720
C820		015-23220-01	CAP CER 0805 220P 5% NPO 50V	L404		056-14150-02	(L) IND SMD 1.5UH
C822		015-25220-08	CAP CER 0805 22N 10% X7R 50V	L405		056-14150-02	(L) IND SMD 1.5UH
C824		015-25470-08	CAP CER 0805 47N 10% X7R 50V	L406		056-10105-12	IND SMD 10uH 1812CS 5%
C826		015-05100-07	CAP 1206 CHIP NPO 10nF 25V	L409		050-00016-54	COIL 654 10 CAN T720
C828		015-05100-07	CAP 1206 CHIP NPO 10nF 25V	L410		050-00016-54	COIL 654 10 CAN T720
C830		015-25470-08	CAP CER 0805 47N 10% X7R 50V	L750		056-10330-02	(L) IND SMD 330NH
C832		014-07100-02	CAP TANT CHIP 1U0 3.2 X 1.6MM	L900		056-10121-00	IND SMD 120NH 1812SMS 5%
C833		015-25220-08	CAP CER 0805 22N 10% X7R 50V	L901		056-10121-00	IND SMD 120NH 1812SMS 5%
C834		015-25100-08	CAP CER 0805 10N 10% X7R 50V	L902		056-10121-00	IND SMD 120NH 1812SMS 5%
C836		015-05100-07	CAP 1206 CHIP NPO 10nF 25V	PL100		070-01001-00	D-RANGE 15 WAY COMPL T800
C837		015-05100-07	CAP 1206 CHIP NPO 10nF 25V	PL200		240-10000-16	HEADER 4W PCB MTG SMD
C838		015-05100-07	CAP 1206 CHIP NPO 10nF 25V	PL210		240-10000-16	HEADER 4W PCB MTG SMD
C840		015-25470-08	CAP CER 0805 47N 10% X7R 50V	PL220		240-10000-16	HEADER 4W PCB MTG SMD
C842		014-07100-02	CAP TANT CHIP 1U0 3.2 X 1.6MM	PL230		240-10000-16	HEADER 4W PCB MTG SMD
C844		014-07100-02	CAP TANT CHIP 1U0 3.2 X 1.6MM	PL240		240-10005-00	HEADER 5W PCB MTG SMD
C846		014-07100-02	CAP TANT CHIP 1U0 3.2 X 1.6MM	PL250		240-10000-16	HEADER 4W PCB MTG SMD
C848		014-07100-02	CAP TANT CHIP 1U0 3.2 X 1.6MM	PL260		240-10000-16	HEADER 4W PCB MTG SMD
C850		015-25470-08	CAP CER 0805 47N 10% X7R 50V	PL270		240-10000-16	HEADER 4W PCB MTG SMD
C873		015-25220-08	CAP CER 0805 22N 10% X7R 50V	Q210		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
C876		014-09100-00	CAP TANT SMD 100U 16V 20%	Q220		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
C879		014-08100-00	CAP TANT CHIP 10M 16VW +-20%	Q230		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
C900		015-22330-01	CAP CER 0805 33P 5% NPO 50V	Q240		000-10008-57	S) XSTR SMD BCW70 PNP SOT23 SS
C901		015-22680-01	CAP CER 0805 68P 5% NPO 50V	Q245		000-10008-57	S) XSTR SMD BCW70 PNP SOT23 SS
C902		015-22680-01	CAP CER 0805 68P 5% NPO 50V	Q250		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
C903		015-22330-01	CAP CER 0805 33P 5% NPO 50V	Q255		000-10008-57	S) XSTR SMD BCW70 PNP SOT23 SS
%D111A 10		001-10015-50	DIODE SMD ZENER 1.5SMC22AT3	Q260		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
%D111A 15		001-10015-50	DIODE SMD ZENER 1.5SMC22AT3	Q270		000-10008-17	S) XSTR SMD BC817-25 NPN SOT23
D220		001-10000-56	S) DIODE SMD BAV56 D-SW SOT23	Q280		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
D230		001-10000-70	S) DIODE SMD BAV70 D-SW SOT23	Q290		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
D240		001-10000-99	S) DIODE SMD BAV99 D-SW SOT23	Q300		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
D250		008-00014-79	S)LED 3MM RED WITH WIRE	Q301		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
D260		001-10084-33	S)DIODE ZENSMD BZX84C3V3 SOT23	Q302		000-10003-10	S) XSTR SMD BFJ310 JFET UHF
D270		001-10000-70	S) DIODE SMD BAV70 D-SW SOT23	Q303		000-10095-10	S) XSTR SMD BR951 NPN UHF
D280		008-00014-80	S)LED 3MM GREEN WITH WIRE	Q304		000-10095-10	S) XSTR SMD BR951 NPN UHF
D285		001-10011-73	DIODE SMD MRA4003T3 1A/300V SM	Q331		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
D289		001-10011-73	DIODE SMD MRA4003T3 1A/300V SM	Q400		000-10054-00	XSTR SMD BFG540 NPN UHF SOT143B
D290		001-10011-73	DIODE SMD MRA4003T3 1A/300V SM	Q401		000-10008-57	S) XSTR SMD BCW70 PNP SOT23 SS
D295		001-10011-73	DIODE SMD MRA4003T3 1A/300V SM	Q540		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
D330		001-10000-99	S) DIODE SMD BAV99 D-SW SOT23	Q620		000-00033-12	XSTR BD242 TO-220 PNP ISOLDT
D400		001-10000-99	S) DIODE SMD BAV99 D-SW SOT23	Q630		000-10003-00	S) XSTR BSR30 PNP AF SOT-89
D610		001-10000-99	S) DIODE SMD BAV99 D-SW SOT23	Q660		000-10008-17	S) XSTR SMD BC817-25 NPN SOT23
D640		001-10000-70	S) DIODE SMD BAV70 D-SW SOT23	Q670		000-10008-57	S) XSTR SMD BCW70 PNP SOT23 SS
D645		001-10010-40	DIODE SMD ZENER 33V BZG03-C33	Q750		000-10008-07	S) XSTR SMD BC807 PNP SOT23 AF
D730		001-10165-00	DIODE BAT165 SCHOTTKY SOD-323	Q760		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
D740		001-10165-00	DIODE BAT165 SCHOTTKY SOD-323	Q770		000-10008-57	S) XSTR SMD BCW70 PNP SOT23 SS
D820		001-10165-00	DIODE BAT165 SCHOTTKY SOD-323	Q775		000-10008-57	S) XSTR SMD BCW70 PNP SOT23 SS
D860		001-10000-70	S) DIODE SMD BAV70 D-SW SOT23	Q780		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
D880		001-10000-70	S) DIODE SMD BAV70 D-SW SOT23	Q785		000-10008-57	S) XSTR SMD BCW70 PNP SOT23 SS
IC210		002-10003-58	S) IC SMD LM358 DUAL O-AMP	Q790		000-10003-12	S) XSTR SMD BFR31 N JFET SOT23
IC240		002-00014-05	S) IC TDA7231 1.6W AF PWR	Q795		000-10009-30	XSTR SMD BFR93A NPN SOT23
IC260		002-00014-05	S) IC TDA7231 1.6W AF PWR	Q810		000-10008-17	S) XSTR SMD BC817-25 NPN SOT23
IC270		002-10003-58	S) IC SMD LM358 DUAL O-AMP	Q820		000-10008-57	S) XSTR SMD BCW70 PNP SOT23 SS
IC280		002-10003-58	S) IC SMD LM358 DUAL O-AMP	Q840		000-10008-57	S) XSTR SMD BCW70 PNP SOT23 SS
IC330		002-10337-20	S) IC MC3372D SMD IF DETECTOR	Q850		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
IC332		002-10003-58	S) IC SMD LM358 DUAL O-AMP	Q860		000-10008-57	S) XSTR SMD BCW70 PNP SOT23 SS
IC333		002-10003-58	S) IC SMD LM358 DUAL O-AMP	Q870		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
IC339		002-10078-05	S) IC SMD 78L05 5V REG	Q880		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
IC340		002-10008-40	S)IC SMD TL084CD 4X O-AMP JFET	Q890		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
IC410		002-10000-14	MIXER DBL BALANCE 2-500 MHZ	Q895		000-10008-48	S) XSTR SMD BCW60 NPN SOT23 SS
IC610		002-10078-05	S) IC SMD 78L05 5V REG				

Ref	Var	IPN	Description	Ref	Var	IPN	Description
R160		036-12100-00	RES M/F 0805 10E 5%	R319		036-12390-00	RES M/F 0805 39E 5%
R201		036-14470-10	RES M/F 0805 4K7 1%	R320		036-13150-10	RES M/F 0805 150E 1%
R202		036-14470-10	RES M/F 0805 4K7 1%	R321		036-13150-10	RES M/F 0805 150E 1%
R204		036-15100-10	RES M/F 0805 10K 1%	&R323	15	036-10000-00	RES M/F 0805 ZERO OHM
R205		036-16220-00	RES M/F 0805 220K 5%	&R324	15	036-10000-00	RES M/F 0805 ZERO OHM
RV205		040-05100-22	POT 10K LOG DUAL PCB 6 OD SFT	R329		036-17100-10	RES M/F 0805 1M 1%
R207		036-14820-10	RES M/F 0805 8K2 1%	R330		036-10000-00	RES M/F 0805 ZERO OHM
&R209	10	036-15220-00	RES M/F 0805 22K 5%	RV330		042-04220-05	RES PRESET SMD 2K CER 4MM SQ
&R209	15	036-15180-10	RES M/F 0805 18K 1%	RV331		042-05100-05	RES PRESET SMD 10K CER 4MM SQ
R210		036-15150-00	RES M/F 0805 15K 5%	R333		036-12220-00	RES M/F 0805 22E 5%
RL210		237-10010-00	RELAY 12V DPTD 10PIN SMD	R336		036-14150-10	RES M/F 0805 1K5 1%
RV210		040-05100-23	POT 10K LOG PCB 15MM SLOT SFT	R337		036-14220-00	RES M/F 0805 2K2 5%
R211		036-15390-00	RES M/F 0805 39K 5%	R338		036-14100-10	RES M/F 0805 1K 1%
R213		036-14270-00	RES M/F 0805 2K7 5%	R339		036-15470-10	RES M/F 0805 47K 1%
R215		036-15150-00	RES M/F 0805 15K 5%	R340		036-16220-00	RES M/F 0805 220K 5%
R218		036-14390-10	RES M/F 0805 3K9 1%	R341		036-16120-00	RES M/F 0805 120K 5%
&R219	10	036-15100-10	RES M/F 0805 10K 1%	R342		036-15220-00	RES M/F 0805 22K 5%
&R219	15	036-14820-10	RES M/F 0805 8K2 1%	R343		036-15100-10	RES M/F 0805 10K 1%
RV220		042-05100-05	RES PRESET SMD 10K CER 4MM SQ	R344		036-15100-10	RES M/F 0805 10K 1%
R221		036-15470-10	RES M/F 0805 47K 1%	&R346	10	036-15560-10	RES MF 0805 56K 1%
R222		036-16100-00	RES M/F 0805 100K 5%	&R346	15	036-16100-00	RES M/F 0805 100K 5%
%R223	10	036-12100-00	RES M/F 0805 10E 5%	R347		036-15470-10	RES M/F 0805 47K 1%
%R223	15	036-12100-00	RES M/F 0805 10E 5%	R348		036-14820-10	RES M/F 0805 8K2 1%
R224		036-14390-10	RES M/F 0805 3K9 1%	R349		036-14560-00	RES M/F 0805 5K6 5%
R225		036-13470-00	RES M/F 0805 470E 5%	R350		036-14100-10	RES M/F 0805 1K 1%
R227		036-14270-00	RES M/F 0805 2K7 5%	R351		036-14560-00	RES M/F 0805 5K6 5%
R229		036-14470-10	RES M/F 0805 4K7 1%	R352		036-14390-10	RES M/F 0805 3K9 1%
R230		036-14470-10	RES M/F 0805 4K7 1%	R353		036-16220-00	RES M/F 0805 220K 5%
RV230		040-05100-21	POT 10K LIN PCB 15MM SLOT SFT	R354		036-16220-00	RES M/F 0805 220K 5%
R232		036-15470-10	RES M/F 0805 47K 1%	R355		036-14330-10	RES M/F 0805 3K3 1%
R233		036-14820-10	RES M/F 0805 8K2 1%	R356		036-14220-00	RES M/F 0805 2K2 5%
R234		036-15470-10	RES M/F 0805 47K 1%	R357		036-15270-10	RES M/F 0805 27K 1%
RV235		042-05100-05	RES PRESET SMD 10K CER 4MM SQ	R358		036-16220-00	RES M/F 0805 220K 5%
R236		036-15470-10	RES M/F 0805 47K 1%	R359		045-15100-00	RES NTC SMD 10K 5%
R238		036-11470-00	RES M/F 0805 4E7 10%	R360		036-15100-10	RES M/F 0805 50K 1%
R239		036-14100-10	RES M/F 0805 1K 1%	R361		036-16390-00	RES M/F 0805 390K 5%
R241		036-14100-10	RES M/F 0805 1K 1%	R362		036-15470-10	RES M/F 0805 47K 1%
R242		036-13100-10	RES M/F 0805 100E 1%	R363		036-14100-10	RES M/F 0805 1K 1%
R244		036-14680-10	RES M/F 0805 6K8 1%	R365		036-13220-10	RES 0805 220E 1%
R245		036-14100-10	RES M/F 0805 1K 1%	R368		036-15100-10	RES M/F 0805 10K 1%
R247		036-14220-00	RES M/F 0805 2K2 5%	R369		036-14220-00	RES M/F 0805 2K2 5%
R249		036-15100-10	RES M/F 0805 10K 1%	R370		036-14100-10	RES M/F 0805 1K 1%
R251		036-15390-00	RES M/F 0805 39K 5%	R371		036-14820-10	RES M/F 0805 8K2 1%
R252		036-14470-10	RES M/F 0805 4K7 1%	R372		036-14560-00	RES M/F 0805 5K6 5%
R254		036-14820-10	RES M/F 0805 8K2 1%	R373		036-16390-00	RES M/F 0805 390K 5%
R255		036-15470-10	RES M/F 0805 47K 1%	R374		036-15100-10	RES M/F 0805 10K 1%
R256		036-14270-00	RES M/F 0805 2K7 5%	R375		036-16390-00	RES M/F 0805 390K 5%
R258		036-15470-10	RES M/F 0805 47K 1%	R376		036-15100-10	RES M/F 0805 10K 1%
R260		036-11470-00	RES M/F 0805 4E7 10%	R377		036-16390-00	RES M/F 0805 390K 5%
R261		036-13150-10	RES M/F 0805 150E 1%	R378		036-16390-00	RES M/F 0805 390K 5%
R262		036-14100-10	RES M/F 0805 1K 1%	R382		036-15100-10	RES M/F 0805 10K 1%
R264		036-15100-10	RES M/F 0805 10K 1%	R383		036-15470-10	RES M/F 0805 47K 1%
R265		036-13100-10	RES M/F 0805 100E 1%	R384		036-15470-10	RES M/F 0805 47K 1%
R266		036-15270-10	RES M/F 0805 27K 1%	R400		036-13220-10	RES 0805 220E 1%
R267		036-16180-00	RES M/F 0805 180K 5%	R401		036-12220-00	RES M/F 0805 22E 5%
R269		036-14220-00	RES M/F 0805 2K2 5%	R402		036-13220-10	RES 0805 220E 1%
R271		036-16100-00	RES M/F 0805 100K 5%	R403		036-12820-00	RES M/F 0805 82E 5%
R272		036-15470-10	RES M/F 0805 47K 1%	R404		036-12820-00	RES M/F 0805 82E 5%
R273		036-15150-00	RES M/F 0805 15K 5%	R408		036-11470-00	RES M/F 0805 4E7 10%
R274		036-13120-00	RES M/F 0805 120E 5%	R409		036-13820-00	RES M/F 0805 820E 5%
R275		036-13100-10	RES M/F 0805 100E 1%	R410		036-13820-00	RES M/F 0805 820E 5%
R276		036-13120-00	RES M/F 0805 120E 5%	R411		036-17100-10	RES M/F 0805 1M 1%
R277		036-14560-00	RES M/F 0805 5K6 5%	R412		036-10000-00	RES M/F 0805 ZERO OHM
R278		036-16220-00	RES M/F 0805 220K 5%	R416		036-17100-10	RES M/F 0805 1M 1%
R279		036-12270-00	RES M/F 0805 27E 5%	R417		036-13560-00	RES M/F 0805 560E 5%
R280		036-16100-00	RES M/F 0805 100K 5%	R418		036-12390-00	RES M/F 0805 39E 5%
R281		036-14470-10	RES M/F 0805 4K7 1%	R419		036-12390-00	RES M/F 0805 39E 5%
R282		036-16100-00	RES M/F 0805 100K 5%	R420		036-12100-00	RES M/F 0805 10E 5%
R284		036-13100-10	RES M/F 0805 100E 1%	R424		036-13330-00	RES M/F 0805 330E 5%
R285		036-15470-10	RES M/F 0805 47K 1%	R425		036-14220-00	RES M/F 0805 2K2 5%
R287		036-15100-10	RES M/F 0805 10K 1%	R426		036-13470-00	RES M/F 0805 470E 5%
R288		036-14470-10	RES M/F 0805 4K7 1%	R427		036-14330-10	RES M/F 0805 3K3 1%
R289		036-14680-10	RES M/F 0805 6K8 1%	R510		036-14220-00	RES M/F 0805 2K2 5%
R290		036-14100-10	RES M/F 0805 1K 1%	R515		036-12560-00	RES M/F 0805 56E 5%
R292		036-14680-10	RES M/F 0805 6K8 1%	R555		036-13470-00	RES M/F 0805 470E 5%
R293		036-13560-00	RES M/F 0805 560E 5%	R615		036-13100-10	RES M/F 0805 10E 1%
R294		036-14100-10	RES M/F 0805 1K 1%	R617		036-10000-00	RES M/F 0805 ZERO OHM
R295		036-14680-10	RES M/F 0805 6K8 1%	R619		036-01100-10	RES 1 OHM 1 WATT 2512 CHIP
R296		036-14120-00	RES M/F 0805 1K2 5%	R621		036-01100-10	RES 1 OHM 1 WATT 2512 CHIP
R297		030-52100-20	RES FILM AI 10E 5% 0.4W 4X1.6	R625		036-14100-10	RES M/F 0805 1K 1%
R298		036-15470-10	RES M/F 0805 47K 1%	R629		036-03270-10	RES 270 OHM 1 WATT 2512 CHIP
R299		036-15470-10	RES M/F 0805 47K 1%	R633		036-14680-10	RES M/F 0805 6K8 1%
R300		036-14680-10	RES M/F 0805 6K8 1%	R636		036-12220-00	RES M/F 0805 22E 5%
R301		036-12270-00	RES M/F 0805 27E 5%	R637		036-12220-00	RES M/F 0805 22E 5%
R302		036-12120-00	RES M/F 0805 12E 5%	R640		036-12100-00	RES M/F 0805 10E 5%
R303		036-12100-00	RES M/F 0805 10E 5%	R641		036-14150-10	RES M/F 0805 1K5 1%
R304		036-13820-00	RES M/F 0805 820E 5%	R645		036-13470-00	RES M/F 0805 470E 5%
R307		036-14100-10	RES M/F 0805 1K 1%	R649		036-14470-10	RES M/F 0805 4K7 1%
R308		036-14330-10	RES M/F 0805 3K3 1%	R653		036-15100-10	RES M/F 0805 10K 1%
R309		036-14100-10	RES M/F 0805 1K 1%	R681		036-13100-10	RES M/F 0805 100E 1%
R310		036-11470-00	RES M/F 0805 4E7 10%	R685		036-15150-00	RES M/F 0805 15K 5%
R311		036-12470-00	RES M/F 0805 47E 5%	R689		036-12100-00	RES M/F 0805 10E 5%
R312		036-13100-10	RES M/F 0805 100E 1%	R693		036-16100-00	RES M/F 0805 100K 5%
R313		036-12560-00	RES M/F 0805 56E 5%	R696		036-15560-10	RES MF 0805 56K 1%
R314		036-12390-00	RES M/F 0805 39E 5%	R701		036-12220-00	RES M/F 0805 22E 5%
R315		036-13470-00	RES M/F 0805 470E 5%	R702		036-17100-10	RES M/F 0805 1M 1%
R317		036-14330-10	RES M/F 0805 3K3 1%	R703		036-17100-10	RES M/F 0805 1M 1%
R318		036-12560-00	RES M/F 0805 56E 5%	R706		036-15150-00	RES M/F 0805 15K 5%

Ref	Var	IPN	Description	Ref	Var	IPN	Description
R707		036-15470-10	RES M/F 0805 47K 1%	R869		036-15270-10	RES M/F 0805 27K 1%
R708		036-13100-10	RES M/F 0805 100E 1%	R870		036-17120-10	RES M/F 0805 1M2 1%
R709		036-13100-10	RES M/F 0805 100E 1%	R871		036-16820-10	RES M/F 0805 820K 1%
R710		036-13100-10	RES M/F 0805 100E 1%	R872		036-14510-10	RES M/F 0805 5K1 1%
R711		036-13100-10	RES M/F 0805 100E 1%	R873		036-14220-00	RES M/F 0805 2K2 5%
R712		036-12100-00	RES M/F 0805 10E 5%	R875		036-14470-10	RES M/F 0805 4K7 1%
R713		036-16470-00	RES M/F 0805 470K 5%	R876		036-16100-00	RES M/F 0805 100K 5%
R730		036-13470-00	RES M/F 0805 470E 5%	R877		036-16100-00	RES M/F 0805 100K 5%
R731		036-13470-00	RES M/F 0805 470E 5%	R878		036-16100-00	RES M/F 0805 100K 5%
R732		036-13470-00	RES M/F 0805 470E 5%	R879		036-16100-00	RES M/F 0805 100K 5%
R742		036-13150-10	RES M/F 0805 150E 1%	R881		036-15470-10	RES M/F 0805 47K 1%
R743		036-13150-10	RES M/F 0805 150E 1%	R882		036-15470-10	RES M/F 0805 47K 1%
R744		036-12220-00	RES M/F 0805 22E 5%	R884		036-16150-00	RES M/F 0805 150K 5%
R746		036-12220-00	RES M/F 0805 22E 5%	R885		036-16150-00	RES M/F 0805 150K 5%
R747		036-12220-00	RES M/F 0805 22E 5%	R886		036-15100-10	RES M/F 0805 10K 1%
R748		036-15470-10	RES M/F 0805 47K 1%	R887		036-14100-10	RES M/F 0805 1K 1%
R749		036-15470-10	RES M/F 0805 47K 1%	R888		036-14820-10	RES M/F 0805 8K2 1%
R750		036-12220-00	RES M/F 0805 22E 5%	R889		036-16100-00	RES M/F 0805 100K 5%
R752		036-12220-00	RES M/F 0805 22E 5%	R890		036-16150-00	RES M/F 0805 150K 5%
R753		036-17100-10	RES M/F 0805 1M 1%	R891		036-16100-00	RES M/F 0805 100K 5%
R754		036-14100-10	RES M/F 0805 1K 1%	R892		036-16330-00	RES M/F 0805 330K 5%
R756		036-16470-00	RES M/F 0805 470K 5%	R894		036-14470-10	RES M/F 0805 4K7 1%
R757		036-16470-00	RES M/F 0805 470K 5%	R895		036-15100-10	RES M/F 0805 10K 1%
R758		036-14120-00	RES M/F 0805 1K2 5%	R897		036-15100-10	RES M/F 0805 10K 1%
R759		036-13330-00	RES M/F 0805 330E 5%	R898		036-16470-00	RES M/F 0805 470K 5%
R760		036-13180-00	RES M/F 0805 180E 5%	R900		036-15100-10	RES M/F 0805 10K 1%
R762		036-13100-10	RES M/F 0805 100E 1%				
R763		036-13100-10	RES M/F 0805 100E 1%	SW201		230-00010-30	SWITCH TOG SPDT R-ANG PCB MTG
R765		036-13680-00	RES M/F 0805 680E 5%				
R766		036-14100-10	RES M/F 0805 1K 1%	SHLD610		062-00010-13	CAN 10MM SQ X 11MM CAN A4M1017
R767		036-13680-00	RES M/F 0805 680E 5%				
R769		036-13180-00	RES M/F 0805 180E 5%	SK805		240-10000-07	CONN SMD SKT 16W 2R M-MATCH
R771		036-14820-10	RES M/F 0805 8K2 1%	SK810		240-04020-42	SKT 44 PIN SMD PLCC
R772		036-15220-00	RES M/F 0805 22K 5%				
R774		036-14820-10	RES M/F 0805 8K2 1%	T210		053-00010-17	XFMR T4030 LINE MATCH POTCORE
R775		036-14270-00	RES M/F 0805 2K7 5%	T610		050-15119-52	COIL SMD 680uH XFMR 5119-T052
R784		036-12680-00	RES M/F 0805 68E 5%				
R785		036-14330-10	RES M/F 0805 3K3 1%	&XF300	10	276-00010-36	FLTR XTAL 10.7M 15KHZ PR 4POLE
R786		036-12100-00	RES M/F 0805 10E 5%	&XF300	15	276-00010-37	FLTR XTAL 10.7M 7.5KHZ PR 4POLE
R787		036-12100-00	RES M/F 0805 10E 5%	&XF301	10	276-00010-36	FLTR XTAL 10.7M 15KHZ PR 4POLE
R790		036-13220-10	RES 0805 220E 1%	&XF301	15	276-00010-37	FLTR XTAL 10.7M 7.5KHZ PR 4POLE
R793		036-13100-10	RES M/F 0805 100E 1%	&XF302	10	276-00010-20	FLTR XTAL 10.7M 15KHZ 2 POLE
R794		036-14100-10	RES M/F 0805 1K 1%	&XF302	15	276-00010-19	FLTR XTAL 10.7M 7.5KHZ 2 POLE
R804		036-15470-10	RES M/F 0805 47K 1%	X330		274-00010-10	XTAL 10.245MHZ SPEC TE/4
R805		036-13470-00	RES M/F 0805 470E 5%				
R808		036-12100-00	RES M/F 0805 10E 5%	&XF304	10	276-10010-14	FLTR CER SMD 455KHz E15KHz B/W
R809		036-14470-10	RES M/F 0805 4K7 1%	&XF304	15	276-10010-13	FLTR CER SMD 455KHz G 9KHz B/W
R810		036-14470-10	RES M/F 0805 4K7 1%				
R811		036-14470-10	RES M/F 0805 4K7 1%				
R812		036-14470-10	RES M/F 0805 4K7 1%				
R813		036-14470-10	RES M/F 0805 4K7 1%				
R815		036-15470-10	RES M/F 0805 47K 1%				
R816		036-16150-00	RES M/F 0805 150K 5%				
R818		036-14470-10	RES M/F 0805 4K7 1%				
R819		036-14470-10	RES M/F 0805 4K7 1%				
R820		036-15470-10	RES M/F 0805 47K 1%				
R821		036-15470-10	RES M/F 0805 47K 1%				
R822		036-15470-10	RES M/F 0805 47K 1%				
R823		036-15470-10	RES M/F 0805 47K 1%				
R824		036-14220-00	RES M/F 0805 2K2 5%				
R825		036-14220-00	RES M/F 0805 2K2 5%				
R826		036-14220-00	RES M/F 0805 2K2 5%				
R827		036-14220-00	RES M/F 0805 2K2 5%				
R828		036-14220-00	RES M/F 0805 2K2 5%				
R829		036-14220-00	RES M/F 0805 2K2 5%				
R830		036-14220-00	RES M/F 0805 2K2 5%				
R831		036-14220-00	RES M/F 0805 2K2 5%				
R832		036-14220-00	RES M/F 0805 2K2 5%				
R833		036-14220-00	RES M/F 0805 2K2 5%				
R835		036-14220-00	RES M/F 0805 2K2 5%				
R836		036-14220-00	RES M/F 0805 2K2 5%				
R837		036-14220-00	RES M/F 0805 2K2 5%				
R838		036-14470-10	RES M/F 0805 4K7 1%				
R839		036-14470-10	RES M/F 0805 4K7 1%				
R840		036-14220-00	RES M/F 0805 2K2 5%				
R841		036-14220-00	RES M/F 0805 2K2 5%				
R842		036-14220-00	RES M/F 0805 2K2 5%				
R843		036-14220-00	RES M/F 0805 2K2 5%				
R844		036-15470-10	RES M/F 0805 47K 1%				
R845		036-16150-00	RES M/F 0805 150K 5%				
R846		036-14470-10	RES M/F 0805 4K7 1%				
R847		036-14470-10	RES M/F 0805 4K7 1%				
R848		036-13470-00	RES M/F 0805 470E 5%				
R852		036-14470-10	RES M/F 0805 4K7 1%				
R853		036-13470-00	RES M/F 0805 470E 5%				
R854		036-16330-00	RES M/F 0805 330K 5%				
R855		036-15470-10	RES M/F 0805 47K 1%				
R856		036-16150-00	RES M/F 0805 150K 5%				
R857		036-16150-00	RES M/F 0805 150K 5%				
R858		036-15270-10	RES M/F 0805 27K 1%				
R859		036-17120-10	RES M/F 0805 1M2 1%				
R860		036-16820-10	RES M/F 0805 820K 1%				
R861		036-14510-10	RES M/F 0805 5K1 1%				
R863		036-14470-10	RES M/F 0805 4K7 1%				
R865		036-14270-00	RES M/F 0805 2K7 5%				
R866		036-16820-10	RES M/F 0805 820K 1%				
R867		036-16820-10	RES M/F 0805 820K 1%				
R868		036-14470-10	RES M/F 0805 4K7 1%				

T825 Mechanical & Miscellaneous Parts (220-01446-03)

IPN	Legend	Description	IPN	Legend	Description
002-08951-20		S) IC AT89C51 PLCC44 MIC 12MHZ			
220-01446-03		PCB T825 RX SII			
230-00010-31		SWITCH COVER FOR 230-00010-30			
240-02100-06		SKT COAX N TYPE PNL MTG OP-TER			
240-04020-62		SKT 2 W RECEP SHORTING LINK			
240-04021-77		SKT JACK 1.3 PCB MT 64W			
303-11169-04		CHASSIS PAINTED T800 SER II			
303-23118-00		COVER A3M2247 D RANGE T855/7			
303-50074-00		CLIP A3M2246 SPRING CLAMP T857			
308-01007-01		HANDLE BS SII 2 WASHERS INC			
311-01015-00		KNOB 15MM & SKIRT 6MM SFT			
312-01052-02		LID TOP T800 SER II PTND			
312-01053-02		LID BOTTOM T800 SER II PNTD			
316-06622-00		PNL FRT RX T800 SERIES II			
349-00020-36		SCREW TT M3X8m PANTORX BLK			
349-00020-36		SCREW TT M3X8m PANTORX BLK			
349-00020-43		SCRW T/T M4X12MM P/POZ BZ			
349-00020-45		SCRW T/T M4X20MM P/POZ BZ			
349-00020-55		SCRW M3*8 P/P T/T BLCKZNC CHRM			
352-00010-08		NUT M3 COLD FORM HEX ST BZ			
352-00010-29		NUT M4 NYLOC HEX			
353-00010-13		WSHR M3 S/PROOF INT BZ			
353-00010-24		WSHR M4x8mm Flat			
356-00010-03		TAG SOLDER 3MM LONG M614/3.2			
362-00010-33		GROMMET LED MTG 3MM			
399-00010-51		BAG PLASTIC 75*100MM			

T825 Grid Reference Index (IPN 220-01446-03)**How To Use This Grid Reference Index**

The first digit in the PCB layout reference is a "1" or "2", indicating the top or bottom side layout respectively, and the last two characters give the location of the component on that diagram.

The first digit in the circuit diagram reference is the sheet number, and the last two characters give the location of the component on that sheet.

<u>Device</u>	<u>PCB</u>	<u>Circuit</u>	<u>Device</u>	<u>PCB</u>	<u>Circuit</u>	<u>Device</u>	<u>PCB</u>	<u>Circuit</u>	<u>Device</u>	<u>PCB</u>	<u>Circuit</u>
C201	1:B5	2-B9	&C310	1:F7	3-G7	C410	1:H8	4-K3	C705	1:J3	7-C7
C203	1:C5	2-B8	&C311	1:E7	3-H7	C411	1:J8	4-K3	C707	1:J3	7-B5
C205	1:D5	2-B8	C312	1:F7	3-J7	C412	1:J9	4-K3	C708	1:J3	7-C5
C207	1:C5	2-C8	C313	1:F6	3-J7	C416	1:J9	4-J3	C709	1:H3	7-C5
C209	1:C6	2-D8	C314	1:E6	3-K8	C417	1:J8	4-J4	C710A	1:H3	7-P7
C210	1:C5	2-P0	C315	1:E6	3-K8	C418	1:J8	4-J3	C710B	1:J4	7-Q7
C211	1:C4	2-D7	C316	1:E6	3-K7	C419	1:J8	4-J3	C710C	1:J3	7-P7
C212	1:C5	2-E8	C317	1:E6	3-L8	C420	1:J7	4-G5	C711	1:J2	7-E7
C213	1:C5	2-E7	&C318	1:E5	3-M7	C424	1:J8	4-G4	C712	1:H2	7-E7
C215	1:C4	2-E7	&C319	1:F5	3-N7	C425	1:K8	4-G3	C713	1:H2	7-E7
C217	1:C4	2-E7	C320	1:F8	3-C7	C426	1:J8	4-G4	C735	1:J2	7-A1
C219	1:C5	2-H6	C321	1:F8	3-C8	C427	1:J7	4-F4	C736	1:J2	7-B1
C221	1:C5	2-H6	&C325	1:E5	3-P7	C428	1:K7	4-F3	C740A	1:H2	7-B4
C222	1:B5	2-J9	&C326	1:F5	3-Q7	C432	1:K7	4-F3	C740B	1:H2	7-B3
C223	1:B5	2-H8	C327	1:E5	3-Q8	C433	1:L9	4-E3	C741A	1:H2	7-C4
C225	1:B5	2-J8	C329	1:F4	3-D3	C434	1:M9	4-E3	C741B	1:G2	7-C3
C227	1:B5	2-J8	C330	1:E4	3-C3	C435	1:M8	4-E4	C742A	1:H2	7-D4
C229	1:B6	2-K8	C331	1:E4	3-C3	C436	1:M8	4-E3	C742B	1:H3	7-D3
C231	1:B6	2-K8	C332	1:E4	3-C3	C440	1:M8	4-D3	C743	1:H2	7-B1
C233	1:B5	2-J7	C333	1:F4	3-E4	C441	1:M8	4-D3	C745	1:G3	7-D1
C235	1:B6	2-M6	C334	1:F3	3-E4	C442	1:M8	4-D3	C750	1:H4	7-R7
C237	1:B6	2-N5	C335	1:E3	3-G0	C443	1:M9	4-D3	C757	1:G4	7-G5
C238	1:B6	2-N7	C336	1:E4	3-F4	C444	1:N9	4-C3	C759	1:G4	7-G4
C239	1:C6	2-P6	C337	1:F4	3-F4	C448	1:N8	4-C4	C761	1:H3	7-J4
C240A	1:D5	2-P8	C338	1:E3	3-E1	C449	1:N8	4-C3	C762	1:G3	7-K4
C240B	1:D5	2-P8	C339	1:F4	3-F4	C450	1:N8	4-C3	C764	1:H3	7-J2
C240C	1:D6	2-Q8	C340	1:E3	3-E2	C505	1:K6	5-H7	C765	1:G3	7-J2
C249	1:D6	2-Q7	C341	1:E3	3-G1	C515	1:H5	5-D5	C767	1:H3	7-K3
C251	1:C6	2-Q7	C342	1:F4	3-G3	C530	1:K5	5-G3	C769	1:H3	7-M4
C253	1:D4	2-G4	C343	1:F3	3-H3	C535	1:K5	5-H3	C770	1:H4	7-M4
C255	1:C7	2-L2	C344	1:E3	3-H3	C610A	1:M5	6-B6	C772	1:G3	7-M2
C257	1:C7	2-M2	C345	1:F3	3-J4	C610B	1:M5	6-B6	C774	1:H4	7-N2
C259	1:C7	2-M3	C348	1:D5	3-J2	C611A	1:M5	6-D6	C776	1:H4	7-M1
C260A	1:D7	2-N4	C349	1:F3	3-K3	C611B	1:M4	6-D6	C782	1:G3	7-N0
C260B	1:D7	2-M4	C350	1:F3	3-L4	C623	1:N6	6-N8	C784	1:G3	7-Q1
C260C	1:D8	2-M4	C351	1:F3	3-L3	C625	1:M6	6-Q8	C786	1:G3	7-Q1
C261	1:C7	2-N2	C352	1:E3	3-H4	C626	1:M6	6-R8	C788	1:G3	7-P0
C262	1:D7	2-P3	C353	1:E3	3-J5	C628	1:M6	6-R8	C790	1:G4	7-Q0
C264	1:C7	2-P3	C354	1:E3	3-J4	C630	1:N5	6-K4	C792	1:G4	7-Q0
C266	1:D2	2-R3	C355	1:F3	3-L4	C631A	1:M5	6-M6	C793	1:G3	7-Q1
C268	1:D3	2-R3	C357	1:F3	3-M4	C631B	1:N4	6-M6	C810	1:L4	8-J8
C270	1:C8	2-E3	C358	1:F3	3-N4	C637	1:M6	6-P5	C812	1:K2	8-F4
C272	1:C8	2-E1	C359	1:E3	3-L0	C640	1:M5	6-G0	C813	1:J3	8-J5
C273	1:C9	2-E0	C360	1:E4	3-N0	C650	1:N5	6-L4	C814	1:L2	8-F6
C274	1:C8	2-E1	C361	1:E5	3-N4	C651	1:M5	6-M4	C815	1:N3	8-B1
C276	1:D8	2-B0	C362	1:F6	3-P0	C658	1:L5	6-K1	C816	1:N3	8-B2
C278	1:D8	2-C0	C363	1:E6	3-P4	C660	1:L5	6-K1	C818	1:N3	8-C1
C280	1:D9	2-E0	C364	1:F5	3-P0	C665	1:L5	6-L1	C819	1:N3	8-C2
C286	1:B8	2-F2	C365	1:F5	3-Q0	C670	1:L5	6-L1	C820	1:N4	8-D1
C300	1:E9	3-B7	C366	1:F5	3-R0	C673	1:L5	6-N2	C822	1:N3	8-C2
C301	1:F9	3-B6	C367	1:E3	3-M0	C677	1:L6	6-P1	C824	1:N3	8-C2
C302	1:F8	3-C7	C400	1:G8	4-P3	C681	1:L6	6-Q2	C826	1:N3	8-D0
C303	1:E8	3-C8	C401	1:G8	4-P3	C684	1:L6	6-Q2	C828	1:N3	8-D0
C304	1:F9	3-C6	C402	1:H9	4-L3	C687	1:M6	6-P1	C830	1:M4	8-K0
C305	1:E8	3-D8	C403	1:H9	4-L3	C690	1:L6	6-Q1	C832	1:M3	8-E2
C306	1:F8	3-D7	C404	1:H8	4-L4	C693	1:L6	6-Q1	C833	1:M4	8-E1
C307	1:F8	3-E7	C405	1:G8	4-Q3	C700	1:J4	7-A8	C834	1:M3	8-F2
C308	1:F8	3-F7	C408	1:H8	4-L3	C702	1:J4	7-B8	C836	1:M3	8-E0
&C309	1:E7	3-F7	C409	1:H8	4-K3	C703	1:J3	7-B8	C837	1:M3	8-F0

Device	PCB	Circuit	Device	PCB	Circuit	Device	PCB	Circuit	Device	PCB	Circuit
C838	1:N4	8-F0	IC333	1:E4	3-M0	P204	1:D4	2-A9	Q660	1:L5	6-N1
C840	1:M2	8-K1	IC333	1:E4	3-H0	P207	1:C5	2-A8	Q670	1:L6	6-P2
C842	1:N2	8-L0	IC339	1:F5	3-P0	P210	1:D5	2-C7	Q750	1:G4	7-G3
C844	1:N3	8-L0	IC340	1:F3	3-L4	P213	1:D3	2-P0	Q760	1:G3	7-J3
C846	1:N2	8-M0	IC340	1:F3	3-L0	P216	1:D4	2-P0	Q770	1:H3	7-J1
C848	1:N2	8-M0	IC340	1:F3	3-K4	P219	1:D3	2-P0	Q775	1:H3	7-K3
C850	1:M2	8-N0	IC340	1:F3	3-H3	P222	1:B9	2-P0	Q780	1:H3	7-K3
C873	1:M3	8-P2	IC340	1:F3	3-K0	P225	1:C4	2-F4	Q785	1:H3	7-K2
C876	1:M4	8-P2	IC410	1:G8	4-N3	P228	1:C4	2-F3	Q790	1:H3	7-L3
C879	1:M4	8-Q0	IC610	1:M5	6-C6	P231	1:C9	2-G3	Q795	1:G3	7-P0
C900	1:P8	9-E4	IC630	1:N5	6-K5	P234	1:C4	2-G3	Q810	1:K2	8-B6
C901	1:P7	9-E4	IC640	1:M5	6-N5	P236	1:C8	2-A1	Q820	1:K2	8-C6
C902	1:P7	9-F4	IC640	1:M5	6-J0	P238	1:D8	2-A1	Q840	1:K2	8-F5
C903	1:P6	9-G4	IC640	1:M5	6-G0	P240	1:C7	2-G1	Q850	1:L2	8-G5
			IC650	1:L5	6-C2	P242	1:C4	2-G1	Q860	1:K4	8-B4
CTP410	2:K7	4-E3	=IC700	1:J3	7-A8	P244	1:C4	2-G8	Q870	1:L4	8-C4
CTP420	1:K8	4-H3	IC710	1:H3	7-D7	P246	1:B5	2-H9	Q880	1:L2	8-Q3
CTP430	1:H8	4-M3	IC710	1:H3	7-P7	P248	1:A5	2-H9	Q890	1:L4	8-H2
CTP440	2:G8	4-Q3	IC710	1:H3	7-C6	P249	1:A5	2-K9	Q895	1:M3	8-P1
CTP900	2:P8	9-D4	IC710	1:H3	7-D6	P250	1:B2	2-K9			
			IC710	1:H3	7-D6	P252	1:B2	2-K9	R160	1:P2	1-Q4
CV300	1:F7	3-G7	IC710	1:H3	7-C6	P254	1:B2	2-K9	R201	1:C5	2-B8
			IC710	1:H3	7-J0	P256	1:B2	2-L8	R202	1:C5	2-B7
%D111	1:P5	1-R1	IC740	1:H2	7-D1	P258	1:D3	2-P8	R204	1:C5	2-C9
%D111A	1:P5	1-Q1	IC750	1:H4	7-M3	P260	1:D3	2-P7	R205	1:C5	2-C8
D220	1:C4	2-F4	IC750	1:H4	7-Q7	P263	1:C2	2-R1	R207	1:C5	2-D8
D220	1:C4	2-F4	IC750	1:H4	7-H5	P266	1:C2	2-Q1	&R209	1:C4	2-D8
D230	1:C6	2-J5	IC820	1:L4	8-N4	P268	1:C2	2-R1	R210	1:C5	2-D8
D230	1:C6	2-J5	IC830	1:N4	8-G0	P270	1:C1	2-R0	R211	1:C5	2-E8
D240	1:C8	2-E2	IC830	1:N4	8-D2	P280	1:C2	2-Q0	R213	1:C5	2-G6
D240	1:C8	2-E2	IC830	1:N4	8-D0	P282	1:C2	2-R0	R215	1:B5	2-G9
D250	1:B7	2-H0	IC830	1:N4	8-F2	P284	1:B4	2-P4	R218	1:C5	2-G8
D260	1:B7	2-H0	IC830	1:N4	8-K0	P287	1:B2	2-M0	&R219	1:C5	2-G7
D270	1:B7	2-J1	IC840	1:M2	8-L0	P300	1:F5	3-Q7	R221	1:C5	2-H7
D270	1:B7	2-H1	IC850	1:M3	8-P0	P810	1:K2	8-A5	R222	1:C5	2-H7
D280	1:B7	2-K1	IC850	1:M3	8-Q2	P815	1:L4	8-C4	%R223	1:A5	2-J9
D285	1:D2	2-L1	IC850	1:M3	8-M2	P820	1:K4	8-L8	R224	1:B5	2-J8
D289	1:B2	2-L0	IC850	1:M3	8-M2	P825	1:K4	8-L8	R225	1:B5	2-J8
D290	1:B2	2-L0	IC850	1:M3	8-M0	P830	1:K4	8-L8	R227	1:B5	2-J7
D295	1:B2	2-L0				P835	1:K4	8-L7	R229	1:B6	2-M7
D330	1:F3	3-M4	L230	1:D2	2-L2	P840	1:K4	8-L7	R230	1:C6	2-M5
D330	1:F3	3-M4	L300	1:F9	3-C7				R232	1:B5	2-M7
D400	1:J7	4-F4	L301	1:E8	3-D8	PIN4	1:J4	7-B8	R233	1:B6	2-N7
D400	1:J7	4-F5	L302	1:E8	3-E7				R234	1:B6	2-N7
D610	1:N6	6-L6	&L303	1:E8	3-E7	PL100	1:P3	1-A0	R236	1:B5	2-N7
D610	1:N6	6-M6	&L304	1:E7	3-F7	PL200	1:C6	2-R7	R238	1:C6	2-Q6
D640	1:L5	6-M2	&L305	1:E7	3-H7	PL210	1:C5	2-B8	R239	1:C6	2-Q7
D640	1:L5	6-M1	&L306	1:F7	3-J7	PL220	1:B5	2-H7	R241	1:D4	2-G4
D645	1:M5	6-H0	&L307	1:E6	3-M8	PL230	1:B2	2-L8	R242	1:C4	2-G4
D730	1:H3	7-H1	&L308	1:E5	3-M8	PL240	1:B6	2-K7	R244	1:C4	2-G4
D740	1:H3	7-K2	&L309	1:E5	3-P8	PL250	1:C8	2-D2	R245	1:C4	2-H4
D820	1:J3	8-B7	&L310	1:E5	3-P8	PL260	1:C4	2-H2	R247	1:C7	2-J5
D860	1:M2	8-P0	&L325	1:E5	3-N7	PL270	1:C2	2-L1	R249	1:C6	2-J4
D860	1:M2	8-P0	L330	1:F4	3-F4				R251	1:B7	2-L3
D880	1:M2	8-R2	L400	1:G8	4-P3	Q210	1:B5	2-J8	R252	1:C6	2-L4
D880	1:M2	8-R2	L401	1:G8	4-P3	Q220	1:B6	2-N7	R254	1:B7	2-L3
			L402	1:H8	4-L3	Q230	1:B6	2-N6	R255	1:B7	2-L3
IC210	1:C5	2-F7	L403	1:J8	4-J3	Q240	1:C4	2-H4	R256	1:C6	2-M4
IC210	1:C5	2-G7	L404	1:J8	4-G4	Q245	1:B6	2-J4	R258	1:C7	2-M3
IC210	1:C5	2-N0	L405	1:J7	4-G5	Q250	1:C8	2-G2	R260	1:C7	2-P2
IC240	1:C6	2-P7	L406	1:G9	4-Q3	Q255	1:C7	2-H1	R261	1:C7	2-P3
IC260	1:C7	2-N3	L408	1:K7	4-F3	Q260	1:B7	2-K1	R262	1:B4	2-P4
IC270	1:C8	2-B2	L409	1:L8	4-E3	Q270	1:B8	2-L0	%R263	1:C4	2-Q3
IC270	1:C8	2-E3	L410	1:M8	4-C3	Q280	1:B7	2-L3	R264	1:B8	2-B3
IC270	1:C8	2-F2	L750	1:G3	7-Q0	Q290	1:B7	2-M3	R265	1:B8	2-B2
IC280	1:D8	2-E0	L900	1:P7	9-E5	Q300	1:E9	3-B7	R266	1:B8	2-B2
IC280	1:D8	2-B0	L901	1:P7	9-F5	Q301	1:F9	3-C7	R267	1:C8	2-C3
IC280	1:D8	2-C0	L902	1:P7	9-G5	Q302	1:F8	3-D7	%R268	1:C3	2-Q2
IC330	1:E4	3-P0				Q303	1:E6	3-K7	R269	1:C8	2-B1
IC330	1:E4	3-E3	LINK1	1:B3	2-Q3	Q304	1:F6	3-L8	R271	1:D8	2-A0
IC330	1:E4	3-N0	LINK2	1:A4	2-Q2	Q331	1:E3	3-G0	R272	1:D8	2-A1
IC330	1:E4	3-B3				Q400	1:K8	4-G3	R273	1:D8	2-C1
IC332	1:E3	3-N0	P100	1:Q6	1-R8	Q401	1:J7	4-F4	R274	1:B3	2-P3
IC332	1:E3	3-H1	P160	1:P2	1-Q4	Q540	1:K5	5-G4	R275	1:D8	2-E0
IC332	1:E3	3-F2	P170	1:P2	1-R4	Q620	1:N6	6-P8	R276	1:B3	2-Q3
IC333	1:E4	3-G1	P201	1:C8	2-A9	Q630	1:M6	6-P5	R277	1:D8	2-D0

Device	PCB	Circuit	Device	PCB	Circuit	Device	PCB	Circuit	Device	PCB	Circuit
R278	1:D8	2-C1	R372	1:F3	3-L3	R756	1:G3	7-G5	R868	1:N4	8-E0
R279	1:B3	2-Q3	R373	1:F3	3-L3	R757	1:G4	7-H4	R869	1:M3	8-F0
R280	1:C8	2-D2	R374	1:E3	3-H5	R758	1:H3	7-J4	R870	1:M3	8-F0
R281	1:C8	2-D2	R375	1:E3	3-H4	R759	1:H3	7-J4	R871	1:N3	8-F0
R282	1:C8	2-E2	R376	1:E3	3-J5	R760	1:H3	7-K4	R872	1:N4	8-F0
R284	1:C8	2-F3	R377	1:E3	3-K4	R762	1:H3	7-K4	R873	1:N4	8-G0
R285	1:B8	2-E3	R378	1:F3	3-L4	R763	1:H3	7-L4	R875	1:M4	8-F2
R287	1:C8	2-F2	R382	1:F3	3-N4	R765	1:H3	7-J2	R876	1:M3	8-K1
R288	1:B8	2-F2	R383	1:F3	3-N4	R766	1:G3	7-J3	R877	1:M2	8-K1
R289	1:C4	2-G2	R384	1:E5	3-P4	R767	1:H3	7-K2	R878	1:M2	8-K0
R290	1:C4	2-H3	R400	1:G7	4-Q4	R769	1:H3	7-K3	R879	1:M2	8-K0
R292	1:C7	2-G1	R401	1:G7	4-P5	R771	1:H4	7-L3	R881	1:L4	8-H2
R293	1:B7	2-H1	R402	1:H7	4-P4	R772	1:G4	7-L2	R882	1:M4	8-H2
R294	1:B8	2-H0	R403	1:G8	4-P3	R774	1:H3	7-L2	R884	1:M3	8-P3
R295	1:B6	2-J1	R404	1:G8	4-P3	R775	1:H4	7-M2	R885	1:M3	8-P2
R296	1:B7	2-K1	R408	1:H9	4-M3	R784	1:G3	7-P1	R886	1:M3	8-Q3
R297	1:B2	2-M0	R409	1:G9	4-M3	R785	1:G3	7-P1	R887	1:M3	8-P3
R298	1:B7	2-K1	R410	1:H9	4-M3	R786	1:G3	7-Q2	R888	1:M3	8-P2
R299	1:B7	2-K1	R411	1:J8	4-H3	R787	1:G2	7-Q2	R889	1:M3	8-N1
R300	1:E9	3-B7	R412	1:K8	4-H3	R790	1:G3	7-P0	R890	1:M3	8-P1
R301	1:F9	3-C6	R416	1:K9	4-H3	R793	1:G3	7-P1	R891	1:M2	8-P0
R302	1:F8	3-D7	R417	1:J8	4-G4	R794	1:G3	7-Q1	R892	1:M2	8-P0
R303	1:E8	3-D8	R418	1:J7	4-G5	R804	1:J3	8-B7	R894	1:M2	8-Q0
R304	1:F8	3-D8	R419	1:K8	4-G3	R805	1:J3	8-B7	R895	1:M2	8-Q1
R307	1:E6	3-K7	R420	1:K8	4-G3	R808	1:K2	8-B6	R897	1:M2	8-Q2
R308	1:F6	3-K8	R424	1:J7	4-G3	R809	1:K2	8-B6	R898	1:M2	8-Q2
R309	1:E6	3-K8	R425	1:J7	4-F4	R810	1:L2	8-C6	R900	1:P6	9-G4
R310	1:E6	3-K7	R426	1:J8	4-F5	R811	1:L2	8-C6			
R311	1:F6	3-K8	R427	1:J7	4-F4	R812	1:K2	8-C6	RL210	1:C2	2-R0
R312	1:E6	3-L9	R510	1:K6	5-H7	R813	1:K2	8-C5	RL210	1:C2	2-L1
R313	1:E6	3-L8	R515	1:H6	5-E5	R815	1:K2	8-F4	RL210	1:C2	2-R1
R314	1:E6	3-L7	R555	1:K5	5-G3	R816	1:K2	8-F4			
R315	1:E6	3-L7	R615	1:M5	6-B6	R818	1:K2	8-G5	RV205	1:B5	2-M7
R317	1:F5	3-Q7	R617	1:M5	6-D5	R819	1:L2	8-G5	RV210	1:B7	2-K3
R318	1:F5	3-Q7	R619	1:N6	6-L8	R820	1:K4	8-B4	RV220	1:D4	2-G4
R319	1:F6	3-L8	R621	1:N6	6-L8	R821	1:L4	8-C4	RV230	1:B8	2-B2
R320	1:F6	3-L7	R625	1:N6	6-L7	R822	1:L4	8-C4	RV235	1:D9	2-D0
R321	1:F6	3-L7	R629	1:M6	6-P6	R823	1:L4	8-C4	RV330	1:E3	3-E1
&R323	1:E5	3-P8	R633	1:M5	6-Q8	R824	1:K4	8-K8	RV331	1:F3	3-K3
&R324	1:E5	3-P8	R636	1:M5	6-K6	R825	1:K4	8-K8			
R329	1:E4	3-D3	R637	1:N5	6-K5	R826	1:K4	8-K8	SHLD610	1:L6	6-J3
R330	1:E4	3-D3	R640	1:M5	6-G0	R827	1:K4	8-K7			
R333	1:F3	3-E5	R641	1:N5	6-L4	R828	1:K4	8-K7	SK501	1:G6	5-C6
R336	1:F4	3-E4	R645	1:N5	6-L5	R829	1:K4	8-P9	SK502	1:G6	5-C6
R337	1:E3	3-G0	R649	1:M5	6-M5	R830	1:K3	8-P9	SK503	1:G6	5-C5
R338	1:E3	3-G0	R653	1:M5	6-Q4	R831	1:K3	8-P9	SK504	1:G5	5-C4
R339	1:F4	3-F4	R681	1:L5	6-L2	R832	1:K3	8-P8	SK505	1:G5	5-C4
R340	1:E3	3-E2	R685	1:L5	6-N2	R833	1:K3	8-P8	SK513	1:H5	5-D4
R341	1:E3	3-F3	R689	1:L6	6-Q3	R835	1:K3	8-P8	SK522	1:H6	5-F6
R342	1:E3	3-F3	R693	1:L5	6-P1	R836	1:K3	8-P8	SK531	1:K6	5-J6
R343	1:E3	3-G3	R696	1:L6	6-P1	R837	1:K3	8-P7	SK532	1:K5	5-J6
R344	1:D4	3-H1	R701	1:J4	7-A9	R838	1:L4	8-L6	SK533	1:K5	5-J5
&R346	1:F4	3-G5	R702	1:J4	7-B9	R839	1:L4	8-L6	SK534	1:K5	5-J4
R347	1:E3	3-H1	R703	1:J4	7-B8	R840	1:K3	8-P7	SK535	1:K5	5-J4
R348	1:F4	3-G3	R706	1:J3	7-C6	R841	1:K3	8-P7	SK805	1:K3	8-Q9
R349	1:F4	3-H3	R707	1:J3	7-C7	R842	1:K3	8-P6	SK805	1:K3	8-Q9
R350	1:E3	3-D2	R708	1:J2	7-D7	R843	1:K3	8-P6	SK805	1:K3	8-Q7
R351	1:E3	3-E1	R709	1:H2	7-E7	R844	1:L2	8-R3	SK805	1:K3	8-Q8
R352	1:E3	3-E1	R710	1:J3	7-B6	R845	1:L2	8-R3	SK805	1:K3	8-Q6
R353	1:E3	3-E1	R711	1:H3	7-C6	R846	1:L4	8-L6	SK805	1:K3	8-Q8
R354	1:E3	3-F2	R712	1:J4	7-P8	R847	1:L4	8-M6	SK805	1:K3	8-Q6
R355	1:E3	3-D2	R713	1:J3	7-C6	R848	1:L4	8-R5	SK805	1:K3	8-Q8
R356	1:E3	3-D2	R730	1:J2	7-A2	R852	1:L2	8-G6	SK805	1:K3	8-Q7
R357	1:E4	3-G1	R731	1:J2	7-A2	R853	1:L2	8-F6	SK805	1:K3	8-Q8
R358	1:E3	3-E2	R732	1:J2	7-A2	R854	1:N3	8-C2	SK805	1:K3	8-Q7
R359	1:E3	3-E2	R742	1:H2	7-C4	R855	1:N3	8-C2	SK805	1:K3	8-Q5
R360	1:E3	3-H1	R743	1:H2	7-C4	R856	1:N3	8-C2	SK805	1:K3	8-Q7
R361	1:F3	3-H3	R744	1:G2	7-D4	R857	1:N4	8-D2	SK805	1:K3	8-Q6
R362	1:E3	3-H1	R746	1:H3	7-D4	R858	1:N3	8-C1	SK805	1:K3	8-Q9
R363	1:F3	3-J4	R747	1:H3	7-D4	R859	1:N3	8-D0	SK805	1:K3	8-Q6
%R364	1:E4	3-J2	R748	1:J2	7-A1	R860	1:N3	8-D1	SK810	1:L3	8-H5
R365	1:E5	3-J2	R749	1:J2	7-B1	R861	1:M3	8-D0			
R368	1:E3	3-J1	R750	1:H4	7-Q8	R863	1:N3	8-E2	SL210	1:C8	2-E1
R369	1:E3	3-J1	R752	1:G4	7-F5	R865	1:M3	8-E2	SL220	1:C8	2-E1
R370	1:F3	3-K3	R753	1:G4	7-F3	R866	1:M3	8-F2	#SL400	1:N8	4-C3
R371	1:F3	3-K4	R754	1:G3	7-F3	R867	1:M3	8-F1	#SL401	1:M8	4-D3

<u>Device</u>	<u>PCB</u>	<u>Circuit</u>	<u>Device</u>	<u>PCB</u>	<u>Circuit</u>	<u>Device</u>	<u>PCB</u>	<u>Circuit</u>	<u>Device</u>	<u>PCB</u>	<u>Circuit</u>
#SL402	1:M8	4-E3									
#SL403	1:J8	4-J4									
#SL404	1:H8	4-K3									
#SL405	1:H8	4-L4									
SW201	1:B4	2-L6									
T210	1:C3	2-Q3									
T610	1:L6	6-N2									
TP202	1:C8	2-D9									
TP211	1:D3	2-P8									
TP300	1:E8	3-E7									
TP301	1:F6	3-J7									
TP302	1:F6	3-M8									
TP305	1:E6	3-P4									
TP601	1:N5	6-K9									
TP602	1:L5	6-R9									
TP603	1:L5	6-J2									
TP604	1:L4	6-N6									
TP607	1:M4	6-E6									
TP710	1:G4	7-J5									
&XF300	1:F7	3-G7									
&XF301	1:F7	3-H7									
&XF302	1:E5	3-N8									
X330	1:E4	3-C3									
&XF304	1:F4	3-E3									