


- MEASUREMENT NOTES:-**
1. ALL VOLTAGES ARE MEASURED WITH RESPECT TO THE CHASSIS. VOLTAGES ARE TYPICAL AND MAY VARY BETWEEN UNITS.
  2. DC VOLTAGES SHOWN [3.4V] ARE MEASURED WITH A DVM, & ARE IN THE TRANSIT MODE & WITHOUT SIGNALS APPLIED.
  3. USE AN EARTH AS CLOSE AS PRACTICABLE TO POINT OF MEASUREMENT. WIND EXCESS PROBE EARTH LEAD AROUND PROBE TO MINIMISE LOOP AREA.
  4. ALL MEASUREMENTS ARE MADE WITH A DC SUPPLY OF 13.6V & 50W PEP O/P.
  5. DC VOLTAGES SHOWN Tx [3.4V] AND WAVEFORMS ARE MEASURED WITH 50W PEP TWO TONE OUTPUT.

ALL DEVICES ARE SHOWN TOP VIEW



- NOTES:**
1. DIODES ARE BAS16, OR EQUIVALENT, UNLESS OTHERWISE STATED.
  2. RESISTORS SHOWN [ ] ARE 1% TOLERANCE.

ISSUE B:  
C125 & C126 HERE  
56p, C135 ADDED.  
BY MRS IN4004.  
R54 MRS 1k.  
C/R 26795  
NJA 21-11-00

FILE NAME  
03360...B

CODAN		SCALE	DATE	© CODAN PTY. LTD., A.C.N. 007 590 685, 2000	
DRN	C G	26-5-00	TITLE		
MATERIAL		CHKD	NJA	50W PA & FILTER (26.5MHz)	
FINISH		APPD	DRAWING/DOC. NO		
TOLERANCES		UNLESS OTHERWISE STATED			
2 PLACES DEC. ±		1 PLACE DEC. ±			
ANGULAR ±		ISS			
A1		04-03360			
B		SHT 1 OF 1			

PCB 07-01896-02  
ASSY 08-05749-003